# Post & Rail Fencing



Quality. Diversity. Service. **tarmac.com.au** 









## Tarmac post and rail fencing is made from Australian grown radiata pine using the latest industry leading technology.

This technology is designed to extend the life of wood, our EcoWood Green & Tinted treatments are perfect for those environmentally sensitive outdoor applications.

Tarmac post and rail fencing is ideal for drive way entrances, livestock enclosures, horse yards and more.

Elevate your property's appearance and long term value with Tarmac Timbers premium post and rail fencing options.

Fence kits are available and ready to install. Simply let one of our stockist know how many middle, end, and corner posts are required for your project, and we can make to order.

#### tarmac.com.au

#### **Available Treatments**

- EcoWood Tinted
- EcoWood Green
- CCA

# Standard Fence Height (600mm in ground)

- 1.2m (2 and 3 rail)
- 1.5m (4 rail)

### **Post Sizes**


- 125×125 - 150×150
- 200×200
- 300×300

#### **Rail Size**

- 140×45 (DAR)
- 190×45 (DAR)
- 150×38 (Sawn)

Available rail lengths 3.6m, 4.8m, 5.4m & 6.0m

# Rail spacing and post design



## **About Tarmac Post & Rail Fencing**

Make an impression that lasts with EcoWood Tinted and Green treated Timber.


- Rails butt together inside the mortice and do not require fixings.
- Incorporate electric or wire with our post and rail fencing to create a secure stock-proofing solution.
- Proven protection from insects and decay.
- Available in one, two, three and four rail systems.

## **Post & Rail Maintenance**

To ensure your fence maintains its original appearance and condition, it is recommended to use an universal timber oil on all fence rails and posts. This will help prevent the timber from warping, cupping and splitting over time, much like any outdoor timber deck or pergola structure.

Please refer to our installation guides for more information.

## **Available Post Tops**





Manufacturers & suppliers of wholesale timber, specialising in timber preservation & wood machining.

## **TARMAC (SA) PTY LTD**

51 Kinkaid Avenue, North Plympton, SA 5037
E. sales@tarmac.com.au | P. +61 8 8295 8356
tarmac.com.au







Introduced in 1992, Tanalith® E high pressure wood preservative has **30 years proven performance** of providing consistent long-term protection against wood decay and insect attack.



